



Technical support: support@abbkine.com

Website: https://www.abbkine.com

## **Ribosomal Protein S6 Polyclonal Antibody**

Cat #: ABP56080 Size: 30µl /100µl /200µl

## **Product Information**

|     | Product Name: Ribosomal Protein S6 Polyclonal Antibody |           |                                    |
|-----|--|-----------|------------------------------------|
|     | Applications: IHC-P, ELISA                             |           | Isotype: Rabbit IgG                |
|     | Reactivity: Human, Mouse, Rat                          |           |                                    |
| REF | Catalog Number: ABP56080                               | LOT       | Lot Number: Refer to product label |
|     | Formulation: Liquid                                    |           | Concentration: 1 mg/ml             |
| ĵy  | Storage: Store at -20°C. Avoid repeated                | $\Lambda$ | Note: Contain sodium azide.        |
| 1   | freeze / thaw cycles.                                  | <u>ن</u>  | Trotor Comain Codiam azido.        |

**Background:** Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. RPS6 (ribosomal protein S6) encodes a cytoplasmic ribosomal protein that is a component of the 40S subunit. The protein belongs to the S6E family of ribosomal proteins. It is the major substrate of protein kinases in the ribosome, with subsets of five C-terminal serine residues phosphorylated by different protein kinases. Phosphorylation is induced by a wide range of stimuli, including growth factors, tumor-promoting agents, and mitogens. Dephosphorylation occurs at growth arrest. The protein may contribute to the control of cell growth and proliferation through the selective translation of particular classes of mRNA. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of RPS6 dispersed through the genome.

<u>Application Notes</u>: Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: IHC-P (1:100-1:300), ELISA (1:40000). Not yet tested in other applications.

Storage Buffer: PBS containing 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Storage Instructions:** Stable for one year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing.

<u>Note</u>: The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.

