



Technical support: support@abbkine.com

Website: https://www.abbkine.com

## Stat5a (phospho Ser780) Polyclonal Antibody

Cat #: ABP56300 Size: 30µl /100µl /200µl

## **Product Information**

|     | Product Name: Stat5a (phospho Ser780) Polyclonal Antibody |            |                                    |
|-----|---|------------|------------------------------------|
|     | Applications: WB, IHC-P, IP, ELISA                        |            | Isotype: Rabbit IgG                |
|     | Reactivity: Human, Mouse, Rat                             |            |                                    |
| REF | Catalog Number: ABP56300                                  | LOT        | Lot Number: Refer to product label |
|     | Formulation: Liquid                                       |            | Concentration: 1 mg/ml             |
| Î   | Storage: Store at -20°C. Avoid repeated                   | Λ          | Note: Contain sodium azide.        |
| 1   | freeze / thaw cycles.                                     | <u>_:\</u> | Note: Contain Socium azide.        |

Background: The protein encoded by STAT5A (signal transducer and activator of transcription 5A) is a member of the STAT family of transcription factors. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated by, and mediates the responses of many cell ligands, such as IL2, IL3, IL7 GM-CSF, erythropoietin, thrombopoietin, and different growth hormones. Activation of this protein in myeloma and lymphoma associated with a TEL/JAK2 gene fusion is independent of cell stimulus and has been shown to be essential for tumorigenesis. The mouse counterpart of STAT5A is found to induce the expression of BCL2L1/BCL-X (L), which suggests the antiapoptotic function of this gene in cells. Alternatively spliced transcript variants have been found for STAT5A.

<u>Application Notes</u>: Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: WB (1:500-1:2000), IHC-P (1:100-1:300), IP (2-5 ug/mg lysate). ELISA (1:10000). Not yet tested in other applications.

Storage Buffer: PBS containing 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Storage Instructions:** Stable for one year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing.

<u>Note</u>: The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.



