

Technical support: support@abbkine.com

Website: https://www.abbkine.com

Human IL-13 protein

Cat #: PRP100108

Size: 5µg/100µg/1mg

Product Information

	Product Name: Human IL-13 protein		
REF	Catalog Number: PRP100108	LOT	Lot Number: Refer to product label
	Purity: > 92 % as determined by SDS-PAGE		
Ĵ.	Storage: Store at -20℃		Preparation method: CHO Stable Cells
	Shipping: The product is shipped at ambient temperature.		

Background: Interleukin 13 (IL-13) is a single-chain glycosylated polypeptide, which belongs to the IL-13/IL-4 family. IL-13 protein is secreted by many cell types, but especially by T helper type 2 (Th2) cells. IL-13 exerts its effects through a multi-subunit receptor comprising the alpha chain of the IL-4 receptor (IL-4R α) and at least one of two known IL-13-specific binding chains (IL-13 R α 1 and IL-13 R α 2). As a cytokine, IL-13 protein is critical in regulating inflammatory, immune responses and diseases. In addition, it inhibits the production of pro-inflammatory cytokines and chemokines, and thus down-regulates macrophage activity. IL-13 protein and antibody is more importantly implicated as a central mediator of immunoregulatory processes in various cell types.

Sequence: Amino acid sequence derived from human IL13 (AAK53823.1) (Met 1-Asn 132) was expressed and purified.


<u>Protein length</u>: The recombinant human IL13 consists of 112 amino acids and migrates as an approximately 12.5 kDa band in SDS-PAGE under reducing conditions as predicted.

Formulation: Lyophilized from sterile PBS, pH 7.4.

Storage Instructions: Lyophilized Human IL13 protein product should be stored desiccated below -18°C. Upon reconstitution, the protein should be stored at 4°C between 2 -7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

<u>Usage notes</u>: Always centrifuge tubes before opening. It is recommended to reconstitute the lyophilized Human IL13 protein in sterile ddH₂O not less than 100µg/ml, which can then be further diluted to other aqueous solutions.





<u>Note:</u> The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.

