


Human IL-3 Protein

Cat #: PRP1034

Size: 20µg/100µg/1mg

Product Information

| | | | |
|---|---|------------|---|
| | Product Name: Human IL-3 Protein | | |
| REF | Catalog Number: PRP1034 | LOT | Lot Number: Refer to product label |
| | Purity: > 96 % as determined by SDS-PAGE | | |
|  | Storage: Store at -20°C | | Preparation method: E. coli |
| | Shipping: The product is shipped at ambient temperature. | | |

Background: IL-3 (Interleukin 3), also known as IL3, is a potent growth-promoting cytokine that belongs to the IL-3 family. IL-3 also belongs to the group of interleukins. Interleukins are produced by a wide variety of body cells. The function of the immune system depends in a large part on interleukins, and rare deficiencies of a number of them have been described, all featuring autoimmune diseases or immune deficiency. The majority of interleukins are synthesized by helper CD4⁺ T lymphocytes, as well as through monocytes, macrophages, and endothelial cells. They promote the development and differentiation of T, B, and hematopoietic cells. IL-3 is capable of supporting the proliferation of a broad range of hematopoietic cell types. It is involved in a variety of cell activities such as cell growth, differentiation, and apoptosis. IL-3 has been shown to also possess neurotrophic activity, and it may be associated with neurologic disorders.

Sequence: Amino acid sequence derived from Human IL-3 (NP_000579.2) (Ala20-Phe152) was expressed with an initial Met.

Protein length: The recombinant Human IL-3 consists of 133 amino acids and has a predicted molecular mass of 15.2 kDa.


Biological Activity: Testing in progress.

Endotoxin: < 0.1 EU per µg of the protein as determined by the LAL method.

Formulation: Lyophilized from sterile PBS, pH 7.4.

Storage Instructions: Lyophilized Human IL-3 protein product should be stored desiccated below -20°C. Upon reconstitution, the protein should be stored at 4°C between 2-7 days and for future use below -20°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Usage notes: Always centrifuge tubes before opening. It is recommended to reconstitute the lyophilized Human IL-3 protein using the buffer we provided not less than 100µg/ml, which can then be further diluted to other aqueous solutions.



Note: The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.